



Easy does it

POWERFLEX 2260





Vacuum Sweeper

POWERFLEX 2260

Street Cleaning and Maintenance - all year

Vacuum Hose



The Powerflex 2260 is the latest utility machine from Euromec. Based on the proven Powerflex 2100, the new machine will tackle any street maintenance task on asphalt, grass, gravel or snow. Specially designed, quick-change attachments will convert the Powerflex in less than three minutes. Maintaining outdoor areas is an all-year task, the Powerflex 2600 is equally well suited to winter or summer work.

Salt and Sand Spreader



Powerwasher
A unique scrubbing and washing attachment, developed and built in the UK, achieves a street cleaning performance that is unrivalled. Wastewater collection using a full width squeegee means dirt and grime is vacuumed-up leaving the surface clean and dry.

Snow Sweeper



Sweeper
Two front brushes are standard; two additional side brushes are optional to increase the machine's swept width. Either way the brushes come

with water sprayers to bind the dust so that it is easily collected. A large vacuum nozzle behind the brushes collects dust and debris and deposits it in the rear hopper. The collection system will collect cans and fast food wrappers.

Snow Dozer
This 1.3-metre wide blade will clear large amounts of snow. A rubber scraping edge protects the surface.

Snow Sweeper
Centred and fitted on the front of the machine, this attachment will clear snow to a depth of 15cm even on undulating terrain. Ideal for paths and car parks.

Salt and Sand Spreader
Working behind a snow sweeper or dozer, the spreader is economic and efficient. Spreading widths of up to 5 metres are covered.



Powerwasher



- Unique street washer-dryer
- Scrubs pavement
- Collects waste water

POWERFLEX 2260



Specification:

Engine

Kubota WG-972-G-E4 Petrol
Water cooled
34hp @ 3600 rpm
Electric start
Hydraulic drive
12v/55A battery
Conforms to EC regulations
Highly accessible for easy maintenance

Fuel Tank

Fuel tank capacity 42 litre
Fuel consumption @ 2400 rpm 3.5 l/h
Fuel consumption @ 3600 rpm 4.3 l/h

Scrubbing Brushes

1300 mm swept width with 3 brushes
140 mm ground clearance
Cleaning performance 8,000 sq.m./hour

Fresh Water Tank (for dust suppression)

Rotation cast plastic
100 litre volume
Water spray to each brush

Hopper

GRP
450 kg max hopper capacity
500 litre hopper volume
1300 mm tipping height

Noise and Vibration Levels

Noise 68 dB (A) in cab
Vibration (whole body) < .55 m/s²
(hand/arm) < 1.5 m/s²

Dimensions	(2 brush)	(4 brush)
Length	2820 mm	3400 mm
Width	1200 mm	2100 mm
Height	1960 mm	1960 mm

Weight

Unladen weight 1145 kg
Revenue weight 1610 kg

Drivers Cab

Steel frame and glass panels
Good visibility
Doors with sliding windows
Adjustable suspension seat
Joystick control
Instrument panel
Heating system
Standard driving lights

Wheels

4 wheel drive
Power assisted steering
Hydrostatic transmission
1.6 metre turning circle
Up to 21 km/hour transport speed
Tyre size 20 x 10 – 10/20" @ 22 psi
Footprint 1.5 kg/cm²

Brakes

Service brake Drum on front wheels
Emergency brake Hydrostatic
Parking brake Drum on front wheels

Suction Nozzle

Remote 6 metre long vacuum hose
55 mm ground clearance

Certification

TUV certified
PM10 certified

Machine comes complete with
Workshop/parts and operator manual
Full operator training for up to 6 persons

Optional Extras

Air conditioning
3rd & 4th side brushes
Brush speed adjustment
Reverse alarm
Radio/CD
Choice of colour (at time of order)
Rear View Camera

Euromec Contracts Limited Valley Way, Market Harborough, Leicestershire. LE16 7PS UK

Tel: 01858 434011 Fax: 01858 464910

Web: euromec.co.uk eMail: sales@euromec.co.uk