



Timan 3330

Made for great results. Designed for the enjoyment of work.

- Greater operator comfort
- Lowest noise level in its class
- Technology patented in the EU
- Quick change of attachment
- Wide range of applications
- Safe and user-friendly
- Runs on petrol
- EU Stage V
- Danish design and quality

If someone wants to do their job well, they need the right working conditions. That is why, for more than 16 years, the design and development of our machines have focused primarily on the comfort of the driver at work.

Every Timan machine has Danish quality and craftsmanship – from design through production to service. All this is a guarantee of greater efficiency and operational safety, so you can do your job well regardless of the activity or season.

We believe that the interaction between job satisfaction and efficiency paves the way to the best result. That is why we say:

Timan *Comfortably Better*



MADE IN
DENMARK





Suction nozzle with a 30 months warranty against wear

The mouthpiece of the Tornado T1 is the most wear-resistant on the market and developed with EU-patented technology - this ensures low operating costs.



Environmentally friendly machine - low fuel consumption

Timan leads the way when it comes to low fuel consumption - compared to its competitors*. It runs longer per litre protecting the environment and your budget.



Follows you everywhere

With the 2-hand operated 7 meters wander hose you can clean everywhere.



Built-in camera (optional)

No more getting out of the cab to check that everything is OK. The suction box camera can be combined with the rear-view camera with automatic switching to ensure optimum overview.



TIMAN 3330

Get ready for a better working experience. Timan 3330 machines are designed from the start as the most reliable and comfortable tool carrier on the market. It is suitable for maintenance of parks and gardens, and dealing with winter maintenance from ice to snow.

Thanks to the wide selection of attachments and patented technology, in the EU Timan 3330 is the best machine for best results - all year round.



* See reverse for fuel consumption

USER COMES FIRST.

Good work needs good working conditions. Therefore, the construction of the Timan 3330 cabin offers the user maximum comfort and the best conditions on the market together with USB and Bluetooth, as well as cup and phone holders. This machine now works for you.

Low noise level and plenty of space



Forget hearing protection and enjoy your music. Gone are the days of stressful and uncomfortable work with just 68 dB at 2,600 rpm in the spacious, air-conditioned cabin. A new type of comfortable foot pedal makes it easy to change travel direction.

Fully adjustable driver's seat



Forget about hip and back pain. Height adjustment, lumbar support and ergonomic design guarantees maximum comfort.

Suspension chassis




With shock-absorbing suspension on all four wheels, Timan 3330 offers you the smoothest and most enjoyable driving experience on the market - even on rough terrain.

Full control at hand



The Timan 3330 control panel has been developed together with those who operate the machine on a daily basis. Because full control should come naturally. Cruise control, electronic hand throttle and Stop & Go are standard features of the machine.



Convenient attachment-tool change

Just stay in the cabin while you switch from the disc spreader to the drop spreader. Simply press the button on the control panel and the plates automatically raise and stop.



Full control over the spread rate

Regulate the amount and width of spread from 1 metre to 6 metres. This makes your winter service much easier when switching between pavements, streets and parking lots. This protects the environment and reduces costs.



Use your preferred material

With the CS 200 Combi-Spreader which holds up to 150 litres, you can spread salt, gravel, sand and grit. The hydraulic tipper enables you to increase the capacity to approx. 250 litres. The maximum load capacity is 225 kg.



Stop & Go function

At standstill, for example at a traffic light, the spreader stops automatically and starts again when you set the machine in motion - standard, of course, to the Timan 3330.

COMBI-SPREADER CS 200

Your winter service has never been so convenient. You simply control everything from inside the cabin with the unique Combi-Spreader CS 200 by Timan. We've combined the disc spreader with the drop spreader and have produced a tool that allows you to easily adapt the spread pattern to the surroundings - with great benefits for the environment. Welcome to a better working experience.



ONE MACHINE. EVERYTHING YOU NEED. NO MATTER WHAT THE SEASON.



Sweeping roller

The hydraulic settings of the sweeping roller with built-in floating position and parallel displacement makes it suitable for sweeping all year round. 1,200 mm width, Ø 550 mm.



Hedge trimmer

The hedge trimmer offers a precise and uniform result for hedges, bushes and plants close to the ground. Cuts both horizontally and vertically.



V-plow

The 3 hydraulic settings enable you to clear large amounts of snow and ensures free and safe passage.



Disc spreader

Specially designed to keep the spread rate even when the engine speed changes. Spreading width 1-5 m.



Tipping trough

The tipping trough can be emptied hydraulically into the spreader while driving. This provides double the capacity. Advantageous in combination with the Combi-Spreader CS-200.



High-pressure washer

With the 10-metre-long hose-pipe and 110-litre tank capacity, the pressure washer can be used continuously for 20 minutes without running dry.



Rotary mower

Gets right on the edge. The specially designed shield and gator blades always ensure a perfect outcome and easy mulch-ing. Cutting width 1,350 mm or 1,500 mm with hydraulically tiltable side components.



Multi-trimming hedge trimmer

Offers a precise and uniform result for hedges, bushes and plants close to the ground. Cutting width 1,300 mm. Cuts both horizontally and vertically.



Combi-Spreader CS-200

A very special combination of disc spreader and drop spreader. From the driver's seat, you control whether you want to spread the material on the road with the disc or drop spreader. Spreading width 1-6 m.



Wander hose

Clean everywhere. With powerful suction and up to 7 metre hose, nothing will get in your way.



Weed brush with suction device

Put an end to pesticides and other environmentally harmful substances. The rubber shield and suction nozzle enable you to remove and collect weeds in just one operation, so you don't have to double the work.



Chopper with suction device (Tornado T1)

Effective tool for collecting leaves and branches, etc. The material is cut into small pieces and sucked into the suction tank by means of the Tornado system.

Technical data Timan 3330

Vehicle-ready weight	1185 Kg
Max. admissible weight.. . . .	1850 kg
Admissible trailer weight without overrun brake	600 Kg
Admissible trailer weight with overrun brake	1500 Kg
Dimensions of the basic machine (LxWxH).	2700 x 1130 x 1990 mm
Engine	Kubota petrol engine, 3 cylinders, 33 HP
EU standard.	Stage V
Petrol tank.	37 l
Speed	27 km/t
Turning radius	530 mm
Steering	Articulated steering
Cooling system	water-cooled, 45° outside temperature
Noise level in the cabin at 2,600 revolutions . .	68 dB
Noise level in the cabin, EU1322 / 2014 method B	79 dB
Noise level in the cabin, EU985/ 2018 driving	71 dB
Passing, EU985/2018 standing.	74 dB

Options

- Air-conditioning system
- Trailer coupling combination, ball and jaw coupling
- Camera at the suction mouthpiece
- Rear view camera
- LED warning lights
- Sliding window
- Air-sprung driver's seat
- Reverse headlamp

Technical specifications

Tornado T1 sweep-suction machine

Capacity suction tank	500 l
Water tank capacity.	110 l
Emptying height	1.350 mm
Sweeping width 2 brushes	1.300 mm
Sweeping width 3 brushes	1.800 mm
Sweeping width 4 brushes	2.300 mm
Length of hand-held vacuum cleaner . .	7.000 mm
Diameter of centrally placed suction devices	152 mm

* Fuel consumption with sweep-suction machine, DIN EN 15429-2

- 5.3 litres per hour when working with 4 brushes
- 5.0 litres per hour when working with 2 brushes
- 4.0 litres per hour when working with 2 brushes
(ECO)



MADE IN
DENMARK

Call us for a non-binding
demonstration.

Timan A/S · Fabriksvej 13 · 6980 Tim · +45 9733 0360 · info@timan.dk · timan.dk/en